

## LITERATŪRA

- Abels C., R.M. Szeimies, P. Steinbach, C. Richert, A.E. Goet (1997) Targeting of the tumour microcirculation by photodynamic therapy with a synthetic porphycene. *J. Photochem. Photobiol. B: Biol.*, 40, 305-312.
- Akerman M.E., W.C.W. Chan, P. Laakkonen, S.N. Bhatia, E. Ruoslahti (2002) Nanocrystal targeting *in vivo*. *Proc. Natl. Acad. Sci. USA*, 99, 12617-12621.
- Alfano R.R., D.B. Tata, J. Cordero, P. Tomashevsky, F. Longo, M. Alfano (1984) Laser induced fluorescence spectroscopy from native cancerous and normal tissue. *IEEE J. Quant. Electron.*, 20, 1507-1511.
- Alfano R.R., G.C. Tang, A. Pradhan, W. Lam, D.S.J. Choy, E. Opher (1987) Fluorescence spectra from cancerous and normal human breast and lung tissues. *IEEE J. Quant. Electron.*, 23, 1806-1811.
- Alexson D., Y. Li, D. Ramadurai, P. Shi, L. George, L. George, M. Uddin, P. Thomas, S. Rufo, M. Dutta, M.A. Stroscio (2004) Binding of semiconductor quantum dots to cellular integrins. *IEEE T. Nanotechnol.*, 3, 86-92.
- Alivisatos A. P. (1996) Semiconductor clusters, nanocrystals, and quantum dots. *Science*, 271, 933-937.
- Allemann E., N. Brasseur, S.V. Kudrevich, C. Lamadeleine, J.E. Van Lier (1997) Photodynamic activities and biodistribution of fluorinated zinc phthalocyanine derivatives in the murine EMT-6 tumor model. *Int. J. Cancer*, 72, 289-294.
- Andersson-Engels S., A. Brun, E. Kjellen, L.G. Salford, L.-G. Stromblad, K. Svanberg, S. Svanberg (1989) Identification of brain tumours in rats using laser-induced fluorescence and hematoporphyrin derivative. *Lasers Med. Sci.*, 4, 241-249.
- Andersson-Engels S., A. Elner, J. Johansson, S.-E. Karlsson, L.G. Salford, , L.-G. Stromblad, K. Svanberg, S. Svanberg (1990 b) Clinical recordings of laser-induced fluorescence spectra for evaluation of tumour identification feasibility in selected clinical specialities. *Lasers Med. Sci.*, 6, 415-424.
- Andersson-Engels S., J. Johansson, U. Stenram K. Svanberg, S. Svanberg (1990 a) Malignant tumor and atherosclerotic plaque diagnosis using laser-induced fluorescence. *IEEE J. Quant. Electr.*, 26, 2207-2217.
- Andersson-Engels S., L. Baert, R. Berg et al (1991 a) Fluorescence characteristics of human atherosclerotic plaque and malignant tumors. In: Optical methods for tumor treatment and early diagnosis: mechanisms and techniques, ed. T.J. Dougherty, *Proc. SPIE*, 1426, 31-43.

Andersson-Engels S., A. Elner, J. Johansson, S.-E. Karlsson, L.G. Salford, L.-G. Stromblad, K. Svanberg, S. Svanberg (1991) Clinical recording of laser-induced fluorescence spectra for evaluation of tumour demarcation feasibility in selected clinical specialties. *Lasers Med. Sci.*, 6, 415-424.

Andersson-Engels S., B.C. Wilson (1992) In vivo fluorescence in clinical oncology: fundamental and practical issues. *J. Cell Pharmacol.*, 3, 48-61.

Andersson-Engels S., C. af Klinteberg, K. Svanberg, S. Svanberg (1997) In vivo fluorescence imaging for tissue diagnostics. *Phys. Med. Biol.*, 42, 815-824.

Anidjar M., D. Ettori, O. Cussenot, P. Meria, F. Desgrandchamps, A. Cortesse, P. Teillac, A. Leduc, S. Avriller (1996) Laser-induced autofluorescence diagnosis of bladder tumours: dependence on the excitation wavelength. *J. Urol.*, 156, 1590-1596.

Ankerst J., S. Montan, K. Svanberg, S. Svanberg (1984) Laser-induced fluorescence studies of hematoporphyrin derivative in normal and tumour tissue of rat. *Appl. Spectrosc.*, 38, 890-896.

Arendt J.T., H.S. Levin, E.A. Klein, R. Manoharan, M.S. Feld, R.M. Cothren (1997) Investigation of early cancerous changes in bladder tissue. IEEE/EMBS, Oct.30-Nov.2, 2290-2293.

Auler H., G. Banzer (1942) Untersuchungen über die Rolle der Porphyrine bei geschwulstkranken Menschen und Tieren. *Z. Krebsforsch.*, 53, 65-68.

Awadh N., S. Lam (1996) Photodetection and PDT for early lung cancer using aminolevulinic acid. 6<sup>th</sup> IPA meeting. Abstract book.

Aziz D.J., A. Caruso, M. Aguire, A.F. Gmitro (1992) Fluorescence response of selected tissues in the canine heart: an attempt to find the conduction system. Diagnostic and Therapeutic Cardiovascular Interventions II, G.S. Abela (ed.), Proc. SPIE, 1642, 166-175.

Bailey A.J., R.G. Paul, L. Knott (1998) Mechanisms of maturation and ageing of collagen. *Mech. Ageing Dev.*, 106, 1-56.

Bailey R.E., S.M. Nie (2003) Alloyed semiconductor quantum dots: tuning the optical properties without changing the particle size. *J. Am. Chem. Soc.*, 125, 7100-7106.

Bakalova R., H. Ohba, Z. Zhelev, M. Ishikawa, Y. Baba (2004) Quantum dots as photosensitizers? *Nature Biotechnology*, 22, 1360-1361.

Ballou B., B.C. Lagerholm, L.A. Ernst, M.P. Bruchez, A.S. Waggoner (2004) Noninvasive imaging of quantum dots in mice. *Bioconjugate Chem.*, 15, 79-86.

Battle A.M.C.D. (1993) Porphyrins, porphyrias, cancer and photodynamic therapy: a model of carcinogenesis. *J. Photochem. Photobiol. B: Biol.*, 20, 5-22.

Baumgartner R., R.M. Huber, H. Schulz, H. Stepp, K. Rick, F. Gamarra, A. Leberig, C. Roth (1996) Inhalation of 5-aminolevulinic acid: a new technique for fluorescence detection of early stage lung cancer. *J. Photochem. Photobiol. B: Biol.*, 36, 169-174.

Bednarkiewicz A., W. Stręk (2004) Oddziaływanie światła laserowego z tkanką. In: Diagnostyka i terapia fotodynamiczna, ed.H. Podbielska, A. Sieron, W. Stręk. Urban&Partner, Wrocław, 33-102.

Benson R.C.Jr., J.H. Kinsey, D.A. Cortese, G.M. Farrow, D.C. Utz (1983) Treatment of transitional cell carcinoma of the bladder with hematoporphyrin derivative phototherapy. *J. Urol.*, 130, 1090-1094.

Benson R.C., R.A. Meyer, M.E. Zaruba, G.M. McKhann (1979) Cellular autofluorescence – is it due to flavins? *J. Histochem. Cytochem.*, 27, 44-48.

Bigio I.J., J.R. Mourant (1997) Ultraviolet and visible spectroscopies for tissue diagnostics: fluorescence spectroscopy and elastic-scattering spectroscopy. *Phys. Med. Biol.*, 42, 803-814.

Billete J. (2002) What is the atrioventricular node? Some clues in sorting out its structure-function relationship. *J. Cardiovascular Electrophysiology*, 13, 515-518.

Blankenhorn D.H., H. Braunstein (1958) Carotenoids in man III. The microscopic pattern of fluorescence in atheromas, and its relation to their growth. *J. Clin. Invest.*, 37, 160-165.

Bonkovsky H.L., J.F. Healey, P.R. Sinclair, J.F. Sinclair (1985) Conversion of 5-aminolaevulinate into haem by homogenates of human liver. Comparison with rat and chick-embryo liver homogenates. *Biochem. J.*, 227, 893-901.

Borkman R.F. (1977) Ultraviolet action spectrum for tryptophan destruction in aqueous solution. *Photochem. Photobiol.*, 27, 163-166.

Bottiroli G., A.C. Croce, D. Locatelli, R. Marchesini, E. Pignoli, S. Tomatis, C. Cuzzoni, S. Dipalma, M. Dalfante, P. Spinelli (1995) Natural fluorescence of normal and neoplastic human colon: a comprehensive *ex vivo* study. *Lasers Surg. Med.*, 16, 48-60.

Boulnois J.L. (1986) Photophysical processes in recent medical laser developments: a review. *Lasers Med. Sci.*, 1, 47-66.

Bourg-Heckly G., J. Blais, J.J. Padilla, O. Bourdon, J. Etienne, F. Guillemin, L. Lafay (2000) Endoscopic ultraviolet-induced autofluorescence spectroscopy of the esophagus: tissue characterization and potential for early cancer diagnosis. *Endoscopy*, 32, 756-765.

Boyle R.W., D. Dolphin (1996) Structure and biodistribution relationships of photodynamic sensitizers. *Photochem. Photobiol.*, 64, 469-485.

Boyle R.W., W.F. Keir, A.H. MacLennan, G. Maguire, T.G. Truscott (1987) On the nature of the active component of haematoporphyrin derivative – Part 2. *Cancer Lett.*, 38, 9–14.

Braichotte D., G. Wagnieres, R. Bays, P. Monnier, H.E. van den Bergh (1995a) Clinical pharmacokinetic studies of Photofrin by fluorescence spectroscopy in the oral cavity, the esophagus, and the bronchi. *Cancer*, 75, 2768-2778.

Braichotte D., J.F. Savary, T. Glanzmann, P. Westermann, S. Folli, G. Wagnieres, P. Monnier, H.E. van den Bergh (1995b) Clinical pharmacokinetic studies of tetra(metahydroxyphenyl)chlorin in squamous-cell carcinoma by fluorescence spectroscopy at 2 wavelengths. *Int. J. Cancer*, 63, 198-204.

Braichotte D., J.F. Savary, T. Glanzmann, P. Monnier, G. Wagnieres, H.E. van den Bergh (1996) Optimizing light dosimetry in photodynamic therapy of the bronchi by fluorescence spectroscopy. *Lasers Med. Sci.*, 11, 247-254.

Brigger I., C. Dubernet, P. Couvreur (2002) Nanoparticles in cancer therapy and diagnosis. *Adv. Drug Deliv. Rev.*, 54, 631-651.

Brewer M., U. Otzinger, E. Silva, D. Gershenson, R.C. Bast, M. Follen, R. Richards-Kortum (2001) Fluorescence spectroscopy for in vivo characterization of ovarian tissue. *Lasers in Surg. and Med.*, 29, 128-135.

Bruchez M., M. Moronne, P. Gin, S. Weiss, A.P. Alivisatos (1998) Semiconductor nanocrystals as fluorescent biological labels. *Science*, 281, 2013-2016.

Campbell D.L., E.F. Gudgin-Dickson, P.G. Forkert, R.H. Pottier, J.C. Kennedy (1996) Detection of early stages of carcinogenesis in adenomas of murine lung by 5-aminolevulinic acid-induced protoporphyrin-IX fluorescence. *Photochem. Photobiol.*, 64, 676-682.

Chan W.C.W., D.J. Maxwell, X. Gao, R.E. Bailey, M. Han, S. Nie (2002) Luminescent quantum dots for multiplexed biological detection and imaging. *Curr. Opin. Biotechnol.*, 13, 40-46.

Chan W.C.W., S.M. Nie (1998) Quantum dot bioconjugates for ultrasensitive nonisotopic detection. *Science*, 281, 2016-2018.

Chance B., L. Thorell (1959) Localization and kinetics of reduced pyridine nucleotide in living cells by microfluorimetry. *J. Biol. Chem.*, 234, 3044-3050.

Chance B., P. Cohen, P. Jobsis, B. Schoener (1962) Intracellular oxidation-reduction states *in vivo*. Science, 137, 499-508.

Chan W.C.W., S.M. Nie (1998) Quantum dot bioconjugates for ultrasensitive nonisotopic detection. Science, 281, 2016-18.

Chang S.C., G. Buonaccorsi, A.J. MacRobert, S.G. Bown (1997) 5-Aminolevulinic acid (ALA)-induced protoporphyrin-IX fluorescence and photodynamic effects in the rat bladder: an *in vivo* study comparing oral and intravesical ALA administration. Lasers Surg. Med., 20, 254-264.

Chen Y., M. Barkley (1998) Toward understanding tryptophan fluorescence in proteins. Biochemistry, 37, 9976-9982.

Chwirot B.W., S. Chwirot, W. Jedrzejczyk, M. Jackowski, A.M. Raczynska, J. Winczakiewicz, J. Dobber (1997) Ultraviolet laser-induced fluorescence of human stomach tissues: detection of cancer tissues by imaging techniques. Lasers Surg. Med., 21, 149-158.

Chwirot B.W., S. Chwirot, J. Redzinski, Z. Michniewicz (1998) Detection of melanomas by digital imaging of spectrally resolved UV light-induced autofluorescence of human skin. Eur. J. Cancer, 34, 1730-1734.

Cohle S.D., M.P. Suarez-Mier, B. Aquilera (2002) Sudden death resulting from lesions of the cardiac conduction system. Am. J. Forensic Med. Pathol., 23, 83-89.

Colice G.L. (1997) Detecting lung cancer as a cause of hemoptysis in patients with a normal chest radiograph – bronchoscopy vs CT. Chest, 111, 877-884.

Cortese D.A., J.H. Kinsey, L.B. Woolner, W.S. Payne, D.R. Sanderson, R.S. Fontana (1979) Clinical application of a new endoscopic technique for detection of *in situ* bronchial carcinoma. Mayo Clin. Proc., 54, 635-642.

Cothren R.M., R. Richards-Kortum, M.V. Sivac, Jr., M. Fitzmaurice, R.P. Rava, G.A. Boyce, M. Doxtader, R. Blackman, T.B. Ivane, G.B. Hayes, M.S. Feld, R.E. Petras (1990) Gastrointestinal tissue diagnosis by laser-induced fluorescence spectroscopy and endoscopy. Gastrointest. Endosc., 36, 105-111.

Cothren R.M., M.V. Sivac, J. Van Dam, R.E. Petras, M. Fitzmaurice, J.M. Crawford, J. Wu, J.F. Brennan, R.P. Rava, R. Manoharan, M.S. Feld (1996) Detection of dysplasia at colonoscopy using laser-induced fluorescence: a blinded study. Gastrointestinal endoscopy, 44, 168-176.

Cottingham K. (2005) Quantum dots leave the light on. Analytical chemistry, September 1, 355A-357A.

Creed D. (1984) The photophysics and photochemistry of the near-UV absorbing amino acids-1. Tryptophan and its simple derivatives. *Photochem. Photobiol.*, 39, 537-562.

Croce A.C., S. Fiorani, D. Locatelli, R. Nano, M. Ceroni, F. Tancioni, E. Giombelli, E. Benericetti, G. Bottiroli (2003) Diagnostic potential of autofluorescence for an assisted intraoperative delineation of glioblastoma resection margins. *Photochem. Photobiol.*, 77, 309-318.

Datta S.N., C.S. Loh, A.J. MacRobert, S.D. Whatley, P.N. Matthews (1998) Quantitative studies of the kinetics of 5-aminolevulinic acid-induced fluorescence in bladder transitional cell carcinoma. *Br. J. Cancer*, 78, 1113-1118.

Daziano J.P., S. Steenken, C. Chabannon, P. Mannoni, M. Chanon, M. Julliard (1996) Photophysical and redox properties of a series of phthalocyanines. Relation with their photodynamic activities on TF-1 and Daudi leukemic cells. *Photochem. Photobiol.*, 64, 712-719.

Derfus A.M., W.C.W. Chan, S.N. Bhatia (2004) Probing the cytotoxicity of semiconductor quantum dots. *Nano Lett.*, 4, 11-18.

Dets S.M., A.N. Buryi, I.S. Melnik, A.Y. Joffe, T.V. Rusina (1996) Laser-induced fluorescence detection of stomach cancer using hypericin. *Proc. SPIE*, 2926, 51-56.

Dougherty T.J., W.R. Potter, K.R. Weishaupt (1984) The structure of the active component of hematoporphyrin derivative. In: *Porphyrin localization and treatment of tumours*, eds. D.R. Doiron, C.J. Gomer. New York: Liss, 301-314.

Dubertret B., P. Skourides, D.J. Norris, V. Noireaux, A.H. Brivanlou, A. Libchaber (2002) *In vivo* imaging of quantum dots encapsulated in phospholipid micelles. *Science*, 298, 1759-1762.

DuVall G.A., R. Saidi, J. Kost, D. Scheider, L. Lilge, M. Cirocco, S. Hassaram, G. Kandel, P. Kortan, G. Haber, T. Mang, R. DaCosta, B.C. Wilson, N. Marcon (1997) Real time light induced fluorescence endoscopy (LIFE) in the gastrointestinal (GI) tract. *Gastrointest. Endosc.*, 45, 14.

El-Far M., M. Ghoneim, E. Ibraheim (1990) Biodistribution and selective *in vivo* tumour localization of endogenous porphyrins induced and stimulated by 5-aminolevulinic acid: a newly developed technique. *J.Tumor Marker Oncol.*, 5, 27-34.

El-Sharabasy M.M.H., A.M. El-Wassel, S.A. Hafez (1992) Porphyrin metabolism in some malignant diseases. *Br. J. Cancer*, 65, 409-412.

Fehr M.K., P. Wyss, B.J. Tromberg, T. Krasieva, P.J. Disaia, F. Lin, Y. Tadir (1996) Selective photosensitizer localization in the human endometrium after intrarterine application of 5-aminolevulinic acid. *Am. J. Obstet. Gynecol.*, 175, 1253-1259.

Fiarman G.S., M.H. Nathanson, A.B. West, L.I. Deckelbaum, L. Kelly, C.R. Kapadia (1995) Differences in laser-induced autofluorescence between adenomatous and hyperplastic polyps and normal colonic mucosa by confocal microscopy. *Digest. Dis. Sci.*, 40, 1261-1268.

Figge F.H.J., G.S. Weiland (1948) The affinity of neoplastic embryonic and traumatized tissue for porphyrins and metalloporphyrins. *Anat. Rec.*, 100, 659.

Filbeck T., M.B. Wimmershoff, U. Pichlmeier, S. Karrer, W.F. Wieland, R.M. Szeimies, W. Rossler (2000) No generalized skin phototoxicity after intravesical application of 5-aminolevulinic acid for fluorescence diagnosis of superficial bladder cancer. *Urol. Int.*, 64, 126-128.

Fujimori E. (1989) Cross linking and fluorescence changes of collagen by glycation and oxidation. *Biochim. Biophys. Acta*, 998, 105-110.

Furukawa K., H. Yamamoto, D.H. Crean, H. Kato, T.S. Mang (1996) Localization and treatment of transformed tissues using the photodynamic sensitizer 2-(1-hexyloxyethyl)-2-divinyl pyropheophorbide-a. *Lasers Surg. Med.*, 18, 157-166.

Gao X.H., Y.Y. Cui, R.M. Levenson, L.W.K. Chung, S. Nie (2004) *In vivo* cancer targeting and imaging with semiconductor quantum dots. *Nat. Biotechnol.*, 22, 969-976.

Gao X.H., W.C.W. Chan, S.M. Nie (2002) Quantum-dot nanocrystals for ultrasensitive biological labeling and multicolor optical encoding. *J. Biomed. Opt.*, 7, 532-537.

Gardner C., S. Jacques, A. Welch (1996) Fluorescence spectroscopy of tissue: recovery of intrinsic fluorescence from measured fluorescence. *Appl. Opt.*, 35, 1780-1792.

Gaullier J.M., K. Berg, Q. Peng, H. Anholt, P.K. Selbo, L.W. Ma, J. Moan (1997) Use of 5-aminolevulinic acid esters to improve photodynamic therapy on cells in culture. *Cancer Res.*, 57, 1481-1486.

Ghadially F.N. (1960) Red fluorescence of experimentally induced and human tumours. *J Pathol. Bacteriol.*, 80, 345-351.

Ghadially F.N., W.J.P. Neish (1960) Porphyrin fluorescence of experimentally produced squamous cell carcinoma. *Nature*, 169, 1124-1224.

Ghadially F.N., W.J.P. Neish, H.C. Dawkins (1963) Mechanisms involved in the production of red fluorescence of human and experimental tumours. *J Pathol. Bacteriol.*, 85, 77-92.

Gibson S.L., M.L. Nguyen, J.J. Havens, A. Barbarin, R. Hilf (1999) Relationship of delta-aminolevulinic acid-induced protoporphyrin IX levels to mitochondrial content in neoplastic cells in vitro. *Biochem. Biophys. Res. Commun.*, 265, 315-321.

Glassman W., C.H. Liu, G.C. Tang, S. Lubicz, R.R. Alfano (1992) Ultraviolet excited fluorescence spectra from non-malignant tissues of the gynecologic tract. *Laser Life Sci.*, 5, 49-58.

Glassman W., C.H. Liu, G.C. Tang, S. Lubicz, R.R. Alfano (1994) Excitation spectroscopy of malignant and non-malignant gynecological tissues. *Lasers Life Sci.*, 6, 99-106.

Gray M.J., R.L. Lipson, J.V.S. Maeck, L. Parker, D. Romeyn (1967) Use of hematoporphyrin derivative in detection and management of cervical cancer. *Am. J. Obstet. Gynecol.*, 99, 766-771.

Gregorie H.G.Jr., E.O. Horger, J.L. Ward, J.F. Green, T. Richards, H.C. Robertson Jr., T.B. Stevenson (1968) Hematoporphyrin derivative fluorescence in malignant neoplasms. *Ann. Surg.*, 167, 829.

Gottfried V., R. Davidi, C. Averbuj, S. Kimel (1995) *In vivo* damage to chorioallantoic membrane blood vessels by porphycene-induced photodynamic therapy. *J. Photochem. Photobiol. B: Biol.*, 30, 115-121.

Goujon, D., M. Zellweger, H. Bergh, G. Wagnieres (2000) Autofluorescence imaging in the tracheo-bronchial tree. *Photodynamics News*, 3, 11-14.

Gu H.W., R.K. Zheng, X.X. Zhang, B. Xu (2004) Facile one-pot synthesis of bifunctional heterodimers of nanoparticles: a conjugate of quantum dot and magnetic nanoparticles. *J Am. Chem. Soc.*, 126, 5664-5665.

Gudelis V., P. Juzenas, J. Slavènas, R. Rotomskis (1995) Fluorescenctnyje issledovanija sensibilizatorov v rakovych kletkach. Lazery i optičeskaja nelineinost, Minsk, 60-65.

Gudelis V., P. Juzenas, J. Slavènas, R. Rotomskis (1996) Investigation of fluorescence spectra of sensitized cancer tissues. *Lith. J. Phys.*, 36, 318-321.

Gupta P.K., S.K. Majumder, A. Uppal (1997) Breast cancer diagnosis using N<sub>2</sub> laser excited autofluorescence spectroscopy. *Lasers Surg. Med.*, 21, 417-422.

Gutierrez A., L. Lian, C.R. Wolf, N.S. Scrutton, G.C. Roberts (2001) Stopped-flow kinetic studies of flavin reduction in human cytochrome P450 and its component domains, *Biochemistry*, 40, 1964-1975.

Halangk W., S. Kuntz (1991) Use of NAD(P)H and flavoprotein fluorescence signals to characterize the redox state of pyridine nucleotide in epididymal bull spermatoza. *Biochim. Biophys. Acta*, 1056, 274-278.

Hale G.M., M.R. Querry (1973) Optical constants of water in the 200-nm to 200- $\mu$ m wavelength region. *Appl. Opt.*, 12, 555-563.

Hanania J., Z. Malik (1992) The effect of EDTA and serum on endogenous porphyrin accumulation and photodynamic sensitization of human K562 leukemic cells. *Cancer Lett.*, 65, 127-131.

Haringsma J., G.N. Tygat (1999) Fluorescence and autofluorescence. *Bailliere's Clinical Gastroenterology*, 13, 1-10.

Harman D. (1990) In: Lipofuscin and ceroid pigments, ed. E.A. Porta. Plenum, New-York, 3-15.

Harries M.L., S. Lam, C. MacAulay, J.A. Qu, B. Palcic (1995) Diagnostic imaging of the larynx: autofluorescence of laryngeal tumors using the helium cadmium laser. *J. Laryngol. Otology*, 109, 108-110.

Harris D.M., J. Werkhaven (1987) Endogenous porphyrin fluorescence in tumors. *Lasers Surg. Med.*, 7, 467-472.

Hayata Y., D.J. Dougherty (Eds.) (1983) Laser and hematoporphyrin derivative in cancer. Igaku-Shoin, Tokyo.

Hayata Y., H. Kato, C. Konaka, J. Ono, Y. Matsushima, K. Yoneyama, K. Nishimiya (1982) Fiberoptic bronchoscopic laser photoradiation for tumor localization in lung cancer. *Chest*, 82, 10-14.

Hayata Y., H. Kato, C. Konaka, T. Okunaka (1993) Photodynamic therapy in early stage cancer, *Lung Cancer*, 9, 287-294.

Healey J.F., H.L. Bonkowsky, P.R. Sinclair, J.F. Sinclair (1981) Conversion of 5-aminolevulinate into heme by liver homogenates. Comparison of rat and chick embryo. *Biochem. J.*, 198, 595-604.

Heil P., S. Stocker, R. Sroka, R. Baumgartner (1997) *In vivo* fluorescence kinetics of porphyrins following intravesical instillation of 5-aminolevulinic acid in normal and tumor-bearing rat bladders. *J. Photochem. Photobiol. B: Biol.*, 38, 158-163.

Heyerdahl H., I. Wang, D.L. Liu, R. Berg, S. Andersson-Engels, Q. Peng, J. Moan, S. Svanberg, K. Svanberg (1997) Pharmacokinetic studies on 5-aminolevulinic acid-induced

protoporphyrin-IX accumulation in tumors and normal tissues. *Cancer Lett.*, 112, 225-231.

Hillemanns P., H. Weingandt, R. Baumgartner et al (2000) Photodetection of cervical intraepithelial neoplasia using 5-aminolevulinic acid-induced porphyrin fluorescence. *Cancer*, 88, 2275-2282.

Hines M.A., P. Guyot-Sionnest (1996) Synthesis and characterization of strongly luminescing ZnS-capped CdSe nanocrystals. *J. Phys. Chem.*, 100, 468-471.

Hines M.A., G.D. Scholes (2003) Colloidal PbS nanocrystals with size-tunable near-infrared emission: observation of post-synthesis self-narrowing of the particle size distribution. *Adv. Mater.*, 15, 1844-1849.

Hooks D.A., K.A. Tomlinson, S.G. Marsden, I.J. LeGrice (2002) Cardiac microstructure: implications for electrical propagation and defibrillation in the heart. *Circulation Research*, 91, 331-343.

Huber R.M., F. Gamarra, A. Leberig, H. Stepp, K. Rick, R. Baumgartner (1996) Inhaled 5-aminolevulinic acid (ALA) for photodynamic diagnosis and early detection of bronchial tumors: first experience in patients. Abstract book of 6<sup>th</sup> IPA meeting.

Hubmann M.R., M.J.P. Leiner, R.J. Schaur (1990) Ultraviolet fluorescence of human sera: I. Sources of characteristic differences in ultraviolet fluorescence spectra of sera from normal and cancer-bearing humans. *Clin. Chem.*, 36, 1880-1883.

Hung J., S. Lam, J. LeRiche, B. Palcic (1991) Autofluorescence of normal and malignant bronchial tissue. *Lasers Surg. Med.*, 11, 99-105.

Ingrams D.R., J.K. Dzingra, K. Roy, D.F. Perrault, I.D. Bottrill, S. Kabani, E.E. Rebeiz, M.M. Pankratov, S.M. Shapshay, R. Manoharan, I. Itzkan, M.S. Feld (1997) Autofluorescence characteristics of oral mucosa. *Head Neck J. Sci. Specialities Head Neck*, 19, 27-32.

Jain R.K. (1999) Transport of molecules, particles, and cells in solid tumors. *Ann. Rev. Biomed. Eng.*, 1, 241-263.

Jain R.K. (2001) Delivery of molecular medicine to solid tumors: lessons from *in vivo* imaging of gene expression and function. *J. Control Release*, 74, 7-25.

Jichlinski P., G. Wagnieres, M. Forrer, J. Mizeret, L. Guillou, M. Oswald, F. Schmidlin, P. Gruber, H. Van den Bergh, H.J. Leisinger (1997) Clinical assessment of fluorescence cystoscopy during transurethral bladder resection in superficial bladder cancer. *Urol. Res.*, 3-6.

Jongen A.J.L., J.C.M. Sterenborg (1997) Mathematical description of photobleaching *in vivo* describing the influence of tissue optics on measured fluorescence signals. *Phys. Med. Biol.*, 42, 1701-1716.

Juzenas P., J. Didziapetriene, L. Staciokiene, V. Gudelis, J. Slavenas, R. Rotomskis (1996) Photomodifications of photodrugs in tumours. *Proc. SPIE*. 2625, 499-506.

Kapadia C.R., F.W. Cutruzzola, K.M. O'Brian, M.L. Stetz, L.I. Deckelbaum (1990) Laser-induced fluorescence spectroscopy of human colonic mucosa. *Gastroenterology*, 99, 150-157.

Katz A., R.R. Alfano (2000) Noninvasive fluorescence-based instrumentation for cancer and precancer detection and screening. In: *In vitro diagnostic instrumentation*, ed. G.E. Cohn. *Proc. SPIE*, 3931, 223-226.

Keith R.I., Y.E. Miller, R.M. Gemmill et al (2000) Angiogenic squamous dysplasia in bronch of individuals at high risk for lung cancer. *Clin. Cancer Res.*, 6, 1616-1625.

Kelly J.F., M.E. Snell (1976) Haematoporphyrin derivative: a possible aid in the diagnosis and therapy of carcinoma in the bladder. *J. Urol.*, 115, 150-151.

Kennedy J.C., R.H. Pottier (1992) Endogenous protoporphyrin IX: a clinical useful photosensitizer for photodynamic therapy. *J. Photochem. Photobiol. B:Biol.*, 14, 275-292.

Kennedy J.C., R.H. Pottier, D.C. Pross (1990) Photodynamic therapy with endogenous protoporphyrin IX: basic principle and present clinical experience. *J. Photochem. Photobiol. B:Biol.*, 6, 143-148.

Kessel D., C.K. Chang, B. Musselman (1985) Chemical, biologic and biophysical studies on hematoporphyrin derivative. In: *Methods in porphyrin photosensitization*, ed. D. Kessel. New York: Plenum Press, 213-227.

Kessel L., S. Kalinin, R.H. Nagaraj, M. Larsen, L.B.-A. Johansson (2002) Time-resolved and steady-state fluorescence spectroscopic studies of human lens with comparison to argypyrimidine, pentostidine and 3-OH-kynurenone. *Photochem. Photobiol.* 76, 549-554.

Kim S., B. Fisher, H.J. Eisler, M. Bawendi (2003) Type-II quantum dots: CdTe/CdSe(core/shell) and CdSe/ZnTe(core/shell) heterostructures. *J. Am. Chem. Soc.*, 125, 11466-11467.

Kim S., Y.T. Lim, E.G. Soltesz, A.M. De Grand, J. Lee, A. Nakayama, J.A. Parker, T. Mihaljevic, R.G. Laurence (2004) Near-infrared fluorescent type II quantum dots for sentinel lymph nodemapping. *Nat. Biotechnol.*, 22, 93-97.

Kinsey J.H., D.A. Cortese, D.R. Sanderson (1978) Detection of hematoporphyrin fluorescence during fiberoptic bronchoscopy to localize early bronchogenic carcinoma. Mayo Clin. Proc., 53, 594-600.

Kochiadakis G.E., S.I. Chrysostomakis, M.D. Kalebubas, G.M. Filippidis, I.G. Zacharakis (2001) The role of laser induced fluorescence in myocardium tissue characterization: experimental in vitro study. Chest, 120, 233-239.

Koenig F., F.J. McGovern, A.F. Althausen, T.F. Deutsch, K.T. Schomacker (1996) Laser induced autofluorescence diagnosis of bladder cancer. J. Urol., 156, 1597-1601.

Koenig F., H. Meyer, H. Schneckenburger, A. Ruck (1993) The study of endogenous porphyrins in human skin and their potential for photodynamic therapy by laser induced fluorescence spectroscopy. Lasers Med. Sci., 8, 127-132.

Koenig F., F.J. McGovern, R. Larne, H. Enquist, K.T. Schomacker, T.F. Deutsch (1999) Diagnosis of bladder carcinoma using protoporphyrin IX fluorescence induced by 5-aminolevulinic acid. Br. J. Urol., 83, 129-135.

Kriegmair M., R. Baumgartner, R. Knuechel, P. Steinbach, A. Ehsan, W. Lumper, F. F. Hofstadter, A. Hofstetter (1994) Fluorescence photodetection of neoplastic urothelial lesions following intravesical instillation of 5-aminolevulinic acid. Urology, 44, 836-841.

Kriegmair M., R. Baumgartner, R. Knuechel, H. Stepp, F. Hofstadter, A. Hofstetter (1996) Detection of early bladder cancer by 5-aminolevulinic acid induced porphyrin fluorescence. J.Urol., 155, 105-110.

Kriegmair M., D. Zaak, H. Stepp, R. Baumgartner, R. Knuechel, A. Hofstetter (1999) Transurethral resection and surveillance of bladder cancer supported by 5-aminolevulinic acid-induced fluorescence endoscopy. Eur. Urol., 36, 386-392.

Kronman M.J., L.G. Holmer (1971) The fluorescence of native denatured and reduced-denatured proteins. Photochem. Photobiol., 14, 113-134.

Kusunoki Y., F.Imamura, H.Uda et al (2000) Early detection of lung cancer with laser-induced fluorescence endoscopy and spectrofluorometry. Chest, 118, 1776-1782.

Kwasny M., Z. Mierczyk, A. Graczyk (1995) Investigations in hematoporphyrine emission properties. In: Laser Technology IV: Applications in medicine, eds. W. Wolinski, T. Kęcik. Proc.SPIE, 2203, 112-118.

Kyriazis G.A., H. Balin, R.L. Lipson (1973) Hematoporphyrin derivative fluorescence test colposcopy and colpophotography in the diagnosis of atypical metaplasia, dysplasia and carcinoma *in situ* of the cervix uteri. Am. J. Obstet. Gynecol., 117, 375-380.

Lakowicz J.R. (1986) Principles of fluorescence spectroscopy. New York: Plenum Press.

Lam S., C. MacAulay, J. Hung, J. LeRiche, A.E. Profio, B. Palcic (1993) Detection of dysplasia and carcinoma *in situ* with a lung imaging fluorescence endoscope device. *J. Thorac. Cardiovasc. Surg.*, 105, 1035-1040.

Lam S., T. Kennedy, M. Unger, Y.E. Miller, D. Gelmont, V. Rusch, B. Gipe, D. Howard, J.C. Leriche, A. Coldman, A.F. Gazdar (1998) Localization of bronchial intraepithelial neoplastic lesions by fluorescence bronchoscopy. *Chest*, 113, 696-702.

Land E.J., R.W. Redmond, T.G. Truscott (1986) On the nature of the active component of haematoporphyrin "derivative". *Cancer Lett.*, 32, 181-185.

Larson D.R., W.R. Zipfel, R.M. Williams, S.W. Clark, M.P. Bruchez, F.W. Wise, W.W. Webb (2003) Water-soluble quantum dots for multiphoton fluorescence imaging *in vivo*. *Science*, 300, 1434-1436.

Leonard J.R., W.L. Beck (1971) Hematoporphyrin fluorescence: an aid to diagnosis of malignant neoplasms. *Laryngoscope*, 81, 365-372.

Leunig A., K. Rick, H. Stepp, R. Gutmann, G. Alwin, R. Baumgartner, J. Feyh (1996) Fluorescence imaging and spectroscopy of 5-aminolevulinic acid-induced protoporphyrin IX for the detection of neoplastic lesions in the oral cavity. *Am. J. Surg.*, 172, 674-677.

Leunig A., C.S. Betz, M. Mehlmann, H. Stepp, G. Grevers, R. Baumgartner (2000) Fluorescence detection of head and neck tumours with 5-ALA. *Photodynamics news*, 3, 8-9.

Lilge L., M.C. Olivo, S.W. Schatz, J.A. Maguire, M.S. Patterson, B.C. Wilson (1996) The sensitivity of normal brain and intracranially implanted VX2 tumor to interstitial photodynamic therapy. *Br. J. Cancer*, 73, 332-343.

Lipson R.L. (1960) The photodynamic and fluorescent properties of a particular hematoporphyrin derivative and its use in tumor detection. Master's thesis. University of Minnesota.

Lipson R.L., E.J. Baldes, A.M. Olsen (1961 a) The use of a derivative of haematoporphyrin in tumour detection. *J. Natl. Cancer Inst.*, 26, 1-11.

Lipson R.L., E.J. Baldes, A.M. Olsen (1961 b) Hematoporphyrin derivative: a new aid for endoscopic detection of malignant disease. *J. Thorac. Cardiovasc. Surg.*, 42, 623-629.

Lipson R.L., E.J. Baldes, M.J. Gray (1967) Hematoporphyrin derivative for detection and management of cancer. *Cancer*, 20, 255-257.

Lohmann W. (1988) *In situ* detection of melanomas by fluorescence measurements. *Naturwissenschaften*, 75, 201-202.

Lohmann W., J. Mussmann, C. Lohmann, W.Kunzel (1989) Native fluorescence of the cervix uteri as a marker for dysplasia and invasive carcinoma. Eur. J. Obstet. Gynecol. Reprod. Biol., 31, 249-253.

Lohmann W., S. Kunzel, J. Mussmann, C. Hoersch (1990) Fluorescence tomographical studies on breast tissue with cancer. Naturwissenschaften, 77, 476-478.

Lohmann W., M. Nilles, R.H.Boedeker (1991) *In situ* differentiation between nevi and malignant melanomas by fluorescence measurements. Naturwissenschaften, 78, 456-457.

Love S.M., S.H. Barsky (1996) Breast duct endoscopy to study stages of cancerous breast disease. Lancet, 348, 997-999.

Lycette R.M., R.B. Leslie. Lancet, 2, 436, 1965.

Maarek J.-M.I., L. Marcu, M.C. Fishbein, W.S. Grinfeld (2000) Time-resolved fluorescence of human aortic wall: use for improved identification of atherosclerotic lesions. Lasers in Surg. Med., 27, 241 – 254.

Mader S.S. (2001) Biologija, I knyga. Vilnius: Alma Littera.

Mahadevan A., M.F. Mitchell, E. Silva, S. Thomsen, R. Richards-Kortum (1993) Study of the fluorescence properties of normal and neoplastic human cervical tissue. Lasers Surg. Med., 13, 647-655.

Mahtab R., H.H. Harden, C.J. Murphy (2000) Temperature- and salt-dependent binding of long DNA to protein-sized quantum dots: thermodynamics of “inorganic protein”-DNA interactions. J. Am. Chem. Soc., 122, 7-14.

Marchesini R., M. Brambilla, E. Pignoli, G. Bottiroli, A.C. Croce, M.D. Fante, P. Spinelli, S. di Palma (1992) Light induced fluorescence spectroscopy of adenomas, adenocarcinomas and non-neoplastic mucosa in human colon. J. Photochem. Photobiol. B: Biol., 14, 219-230.

Martin A., W.D. Tope, J.M. Grevelink, J.C. Star, J.L. Fewkes, T.J. Flotte, T.F. Deutsch, R.R. Anderson (1995) Lack of selectivity of protoporphyrin-IX fluorescence for basal cell carcinoma after topical application of 5-aminolevulinic acid – Implications for photodynamic treatment. Arch. Dermatol. Res., 287, 665-674.

Mattoucci H., J.M. Mauro, E.R. Goldman, G.P. Anderson, V.C. Sundar, F.V. Mikulec, M. Bawendi (2000) Self-assembly of CdSe-ZnS quantum dot bioconjugates using an engineered recombinant protein. J. Am. Chem. Soc. 122, 12142-12150.

Meijnders P.J.N., W.M. Star, R.S. deBrujin, A.D. Treurniet-Donker, M.J.M. van Mierlo, S.J.M. Wijthoff, B. Naafs, H. Beerman, P.C. Levendag (1996) Clinical results of

photodynamic therapy for superficial skin malignancies and actinic keratosis using topical 5-aminolevulinic acid. *Lasers Med. Sci.*, 11, 123-131.

Menon I.A., M.A. Becker, S.D. Persad, H.F. Haberman (1990) Quantitation of hydrogen peroxide formed during UV-visible irradiation of protoporphyrin, coproporphyrin and uroporphyrin. *Clin. Chim. Acta*, 186, 375-381.

Menter J.M., GD. Williamson, C. Moore, I. Willis (1995) Photochemistry of type I acid-soluble calf skin collagen: dependence on excitation wavelenght. *Photochem. Photobiol.*, 62, 402-408.

Messmann H., R. Knuchel, W. Baumler, A. Holstege, J. Scholmerich (1999) Endoscopic fluorescence detection of dysplasia in patients with Barrett's esophagus, ulcerative colitis or adenomatous polyps after 5-aminolevulinic acid-induced protoporphyrin IX sensitization. *Gastrointest. Endosc.*, 49, 97-101.

Mierczyk Z., M. Kwasny (1999) Systemy laserowe do diagnostyki i terapii nowotworow metodą fotodynamiczną. In: Fotodynamiczna metoda rozpoznawania i leczenia nowotworow, ed A. Graczykowa. Warszawa: Dom wydawniczy Bellona, 244-299.

Minet O., C. Dressler, J. Beuthan (2004) Heat stress induced redistribution of fluorescent quantum dots in breast tumor cells. *J. Fluoresc.*, 14, 241-247.

Mitchell G.P., C.A. Mirkin, R.L. Letsinger (1999) Programmed assembly of DNA functionalized quantum dots. *J. Am. Chem. Soc.*, 121, 8122-8123.

Mlkvy P., H. Messmann, J. Regula, M. Conio, M. Pauer, C.E. Millson, A.J. MacRobert, S.G. Bown (1995) Sensitization and photodynamic therapy (PDT) of gastrointestinal tumors with 5-aminolevulinic acid induced protoporphyrin IX: a pilot study. *Neoplasma*, 42, 109-113.

Moesta K.T., B. Ebert, T. Handke, D. Nolte, C. Nowak, W.E. Haensch, R.K. Pandey, T.J. Dougherty, H. Rinneberg, P.M. Schlag (2001) Protoporphyrin IX occurs naturally in colorectal cancers and their metastases. *Cancer Res.*, 61, 991-999.

Montan S., L.G. Stromblad (1987) Spectral characterization of brain tumors utilizing laser-induced fluorescence. *Lasers Life Sci.*, 1, 275-285.

Morita T., T. Shimada (1992) Cellular architecture of sheep myocardium and heart conduction system as revealed with silver-impregnation method. *Kaibogaku Zasshi*. 67, 298-307.

Murphy C.J., J.L. Coffer (2002) Quantum dots: a primer. *Appl. Spectrosc.*, 56, 16A-27A.

Murray C.B., D.J. Norris, M.G. Bawendi (1993) Synthesis and characterization of nearly monodisperse CdE (E = S, Se, Te) semiconductor nanocrystallites. *J. Am. Chem. Soc.*, 115, 8706-8715.

Muto T., J.R. Buessey, B.C. Morson (1975) The evolution of cancer of the colon and rectum. *Cancer*, 36, 2251-2270.

Niemz M.H. (2004) Laser-tissue interactions. Fundamentals and applications. Berlin: Springer.

Nilsson A.M., D. Heinrich, J. Olajos, S. Andersson-Engels (1997) Near infrared diffuse reflection and laser-induced fluorescence spectroscopy for myocardial tissue characterization, *Spectrochim. Acta A. Mol. Biomol. Spectrosc.*, 53A (11), 1901-1912.

Nilsson H., J. Johansson, K. Svanberg, S. Svanberg, G. Jori, E. Reddi, A. Segalla, D. Gust, A.L. Moore, T.A. Moore (1994) Laser-induced fluorescence in malignant and normal tissue in mice with two different carotenoporphyrins. *Br. J. Cancer*, 70, 873-879.

Nirmal M., L. Brus (1999) Luminescence photophysics in semiconductor nanocrystals. *Acc. Chem. Res.*, 32, 407-414.

Nisman R., G. Dellaire, Y. Ren, R. Li, D.P. Bazett-Jones (2004) Application of quantum dots as probes for correlative fluorescence, conventional, and energy-filtered transmission electron microscopy. *J. Histochem. Cytochem.*, 52, 13-18.

Nowell P.C. (1986) Mechanisms of tumour progression. *Cancer Res.*, 46, 2203-2207.

Papazoglou T.G. (1995) Malignant and atherosclerotic plaque diagnosis – is laser induced fluorescence spectroscopy the ultimate solution? *J. Photochem. Photobiol. B: Biol.*, 28, 3-11.

Pasche R., M. Savary, P. Monnier (1981) Multiple squamous cell carcinoma of the upper digestive and lower respiratory tracts: methodology of endoscopic screening. *Acta Endosc.*, 11, 277-291.

Pathak S., S.K. Choi, N. Arnheim, M.E. Thompson (2001) Hydroxylated quantum dots as luminescent probes for *in situ* hybridization. *J. Am. Chem. Soc.*, 123, 4103-4104.

Peck G.C., H.P. Mack, W.A. Holbrook (1955) Use of hematoporphyrin fluorescence in biliary and cancer surgery. *Ann. Surg.*, 21, 181-188.

Peng Q., K. Berg, J. Moan, M. Kongshaug, J.M. Nesland (1997) 5-Aminolevulinic acid-based photodynamic therapy: principles and experimental research. *Photochem. Photobiol.*, 65, 235-251.

Perk M., G.J. Flynn, S. Gulamhusein , Y. Wen, C. Smith, B. Bathgate, J. Tulip, N.A. Parfrey , A. Lucas (1993) Laser induced fluorescence identification of sinoatrial and atrioventricular nodal conduction tissue. *Pacing Clin. Electrophysiology*, 16, 1701-1712.

Pitts J., R. Sloboda, K. Dragnev, E. Dmitrovsky, M. Mycek (2001) Autofluorescence characteristics of immortalized and carcinogen-transformed human bronchial epithelial cells. *J. Biomed. Opt.*, 6, 31-40.

Policard A. (1924) Etudes sur les aspects offerts par des tumeur experimentales examinee a la lumiere de woods. *C. R. Soc. Biol.*, 91, 1423-1428.

Pradhan A., P. Pal, G. Durocher et al (1995) Steady-state and time-resolved fluorescence properties of metastatic and non-metastatic malignant cells from different species. *J. Photochem. Photobiol. B: Biol.*, 31, 101-112.

Praškevičius A., L. Ivanovienė, N. Stasiūnienė, J. Burneckienė, H. Rodovičius, L. Lukoševičius, D. Kondratas (2003) Biochemija. Kaunas: KMU leidykla.

Profio A.E. (1988) Review of fluorescence diagnosis using porphyrins. *Proc. SPIE*, 907, 150-156.

Profio A.E., D.R. Doiron (1979) Laser fluorescence bronchoscope for localization of occult lung tumours. *Med. Phys.*, 6, 523-525.

Qu J., C. MacAulay, S. Lam et al (1994) Optical properties of normal and carcinoma bronchial tissue. *Appl. Opt.*, 33, 7397-7405.

Qu J., C. MacAulay, S. Lam et. al. (1995) Laser-induced fluorescence spectroscopy at endoscopy: tissue optics, montecarlo modeling, and *in vivo* measurements. *Opt. Eng.* 34, 3334-3343.

Qu, L.H., X.G. Peng (2002) Control of photoluminescence properties of CdSe nanocrystals in growth. *J. Am. Chem. Soc.*, 124, 2049-2055.

Ramanujam N., M.F. Mitchell, A. Mahadevan, S. Thomsen, E. Silva, R. Richards-Kortum (1994) *In vivo* diagnosis of cervical intraepithelial neoplasia using 337 nm laser induced fluorescence. *Proc. Natl. Acad. Sci. USA*, 91, 10193-10197.

Ramanujam N., M.F. Mitchell, A. Mahadevan, S. Thomsen, A. Malpica, T. Wright, N. Atkinson, R. Richards-Kortum (1996) Spectroscopic diagnosis of cervical intraepithelial neoplasia (CIN) *in vivo* using laser-induced fluorescence spectra at multiple excitation wavelengths. *Lasers Surg. Med.*, 19, 63-74.

Rassmussan-Taxdal D.S., G.E. Ward, F.H.J. Figge (1955) Fluorescence of human lymphatic and cancer tissues following high doses of intravenous hematoporphyrin. *Cancer*, 8, 78-81.

Rava R.P., R. Richards-Kortum, M. Fitzmaurice et. al. (1991) Early detection of dysplasia in colon and bladder tissue using laser induced fluorescence. In: Optical methods for tumor treatment and early diagnosis: mechanisms and techniques, ed. T.J. Dougherty. Proc. SPIE, 1426, 68-75.

Reddi E., A. Segalla, G. Jori, P.K. Kerrigan, P.A. Lidell, A.L. Moore, T.A. Moore (1994) Carotenoporphyrins as selective photodiagnostic agents for tumours. Br. J. Cancer, 69, 40-45.

Rhodes L.E., M.M. Tsoukas, R.R. Anderson, N. Kollias (1997) Ionophoretic delivery of ALA provides a quantitative model for ALA pharmacokinetics and PpIX phototoxicity in human skin. J. Invest. Dermatol., 108, 87-91.

Richards-Kortum R., R.P. Rava, R.E. Petras, M. Fitzmaurice, M.V. Sivak, M.S. Feld (1991) Spectroscopic diagnosis of colonic dysplasia. Photochem. Photobiol., 53, 777-786.

Richards-Kortum R., E. Sevick-Muraca (1996) Quantitative optical spectroscopy for tissue diagnosis. Ann. Rev. Phys. Chem., 47, 555-606.

Richards-Kortum R., R. Drezek, K. Sokolov, I. Pavlova, M. Follen (2003 a) Survey of endogenous biological fluorophores. In: Handbook of biomedical fluorescence, eds. M.-A. Mycek, B.W. Pogue, Marcel Dekker, Inc., New York, 237-264.

Richards-Kortum R., R. Drezek, K. Basen-Engquist, S.B. Cantor, U. Utzinger, C. Brookner, M. Follen (2003 b) Cervical dysplasia diagnosis with fluorescence spectroscopy. In: "Handbook of biomedical fluorescence", eds. M.-A. Mycek, B.W. Pogue. New York: Marcel Dekker, Inc., 265-313.

Romer T., M. Fitzmaurice, M. Cothren, R. Richards-Kortum, R. Petras, M. Sivak, J. Kramer (1995) Laser-induced fluorescence microscopy of normal colon and dysplasia in colonic adenomas: implications for spectroscopic diagnosis. Am. J. Gastroenterol., 90, 81-87.

Ronchese F. (1954) The fluorescence of cancer under the Wood's light. Oral Surg.Oral Med. Oral Pathol., 7, 971-976.

Rosenthal S.J., E.M. Tomlinson, E.M. Adkins, S. Schroeter, S. Adams, L. Swafford, J. McBride, Y.Q. Wang, L.J. DeFelice, R.D. Blakely (2002) Targeting cell surface receptors with ligand-conjugated nanocrystals. J. Am. Chem. Soc., 124, 4586-4594.

Rotomskis R., S. Bagdonas, G. Streckyte, R. Wendenberg, W. Dietel, J. Didziapetriene, A. Ibelhauptaitė, L. Staciokienė (1998) Phototransformation of sensitizers: 3. Implications for clinical dosimetry. Lasers Med. Sci., 13, 271-278.

Rotomskis R., G. Streckytė (2004) Fluorescencinė navikų diagnostika. Medicina, 40, 1219-1230.

Rotomskis R., G. Streckytė, L. Griciūtė (2002) Fotosensibilizuota navikų terapija: pirminiai vyksmai. Vilnius: Mokslo Lietuva.

Rotomskis R., G. Streckytė, V. Karabanovas (2006) Nanodariniai diagnostikai ir gydymui: nanomedicinos link. Medicina, 42, 542-558.

Roy K., I.D. Bottril, D.R. Ingrams, M.M. Pankratov, E.E. Rebeiz, P. Woo, S. Kabani, S.M. Shapshay, R. Manoharan, I. Itzkan, M.S. Feld (1995) Diagnostic fluorescence spectroscopy of oral mucosa. Proc. SPIE, 2395, 135-142.

Saidi R.F., L. Lilge, R. Dacosta et al. (1997) Laser-induced fluorescence endoscopy (LIFE) during photodynamic therapy (PDT) for esophageal cancer. Gastrointest. Endosc., 45, 224.

Samia A.C.S., X. Chen, C. Burda (2003) Semiconductor quantum dots for photodynamic therapy. J. Am. Chem. Soc., 125, 15736-15737.

Sapra S., D.D. Sarma (2004) Evolution of the electronic structure with size in II-VI semiconductor nanocrystals. Phys. Rev., B69, 125304.

Shomacker K., J. Frisoli, C. Compton, T. Flotte, J.M. Richter, N. Nishioka, T. Deutch (1992) Ultraviolet laser-induced fluorescence of colonic tissue: basic biology and diagnostic potential. Lasers Surg. Med., 12, 63-78.

Shomacker K., J. Frisoli, C. Compton, T. Flotte, J.M. Richter, T.F. Deutch, N. Nishioka (1992) Ultraviolet laser-induced fluorescence of colonic polyps. Gastroenterology, 102, 1155-1160.

Schneckenburger H., M. Gschwend, R.J. Paul et al (1995) Time-gated spectroscopy of intrinsic fluorophores in cells and tissues. In: Optical biopsy and fluorescence spectroscopy and imaging, eds. R. Cubeddu, R. Marchesini, S.G. Mordon, K. Svanberg, H.H. Rinneberg, G. Wagnieres. Proc. SPIE, 2324, 187-195.

Schneckenburger H., M.H. Gschwend, W.S. Strauss et al (1997) Energy transfer spectroscopy for measuring mitochondrial metabolism in living cells. Photochem. Photobiol., 66, 34-41.

Schwartz S. (1992) Historical Perspective. In: Photodynamic therapy. Basic principles and clinical application, eds. B.W. Henderson, T.J. Dougherty. New York, Basel, Hong Kong: Marcel Dekker, Inc., 1-8.

Sinclair P.R., S. Granick (1975) Heme control on the synthesis of delta-aminolevulinic acid synthetase in cultured chick embryo liver cells. Ann. N.Y. Acad. Sci., 244, 509-520.

Skauminas K., V. Klumbys, V. Šaferis, J. Didžiapetrienė, G. Graželienė, I. Gudinavičienė, D. Kaškelytė, R. Gadonas, V. Smilgevičius (2003) Spektrofluorimetrija piktybinių gliomų intraoperacinėje diagnostikoje. Jautrumo ir specifišumo įvertinimas eksperimente. Neurologijos seminarai, 1(17), 66-73.

Smith A. (1987) Mechanisms of toxicity of photoactivated artificial porphyrins: role of porphyrin-protein interactions. Ann. NY Acad.Sci., 514, 309-322.

Smith A.M., X. Gao, S. Nie (2004) Quantum dot nanocrystals for *in vivo* molecular and cellular imaging. Photochem. Photobiol., 80, 377-385.

Sroka R., W. Beyer, L. Gossner, T. Sassy, S. Stocker, R. Baumgartner (1996) Pharmacokinetics of 5-aminolevulinic acid-induced porphyrins in tumor-bearing mice. J. Photochem. Photobiol. B: Biol., 34, 13-19.

Steinbach P.H., H. Weingandt, R. Baumgartner, M. Kriegmair, F. Hofstadter, R. Knuchel (1995) Cellular fluorescence of the endogenous photosensitizer protoporphyrin-IX following exposure to 5-aminolevulinic acid. Photochem. Photobiol., 62, 887-895.

Steiner R.A., Y. Tadir, B.J. Tromberg, T. Krasieva, A.T. Ghazains, P. Wyss, M.W. Berns (1996) Photosensitization of the rat endometrium following 5-aminolevulinic acid-induced photodynamic therapy. Lasers Surg. Med., 18, 301-308.

Stokes G.G. (1852) On the change of refrangibility of light. Phil. Trans. R. Soc. London, 142, 463-562.

Strambini G.B., M. Connell (1990) Tryptophan luminescence from liver alcohol dehydrogenase in its complexes with enzyme. Biochemistry, 29, 196-203.

Stummer W., H. Stepp, S. Stocker, R. Baumgartner (1996) Intra-operative fluorescence detection of human malignant glioma by 5-ALA induced protoporphyrin: first clinical experience. 6<sup>th</sup> IPA meeting, Abstract book.

Stummer W., R. Baumgartner (2000) Fluorescence-guided resection of malignant gliomas utilising 5-ALA-induced porphyrins. Photodynamics news, 3, 6-7.

Sukhanova A., M. Devy, L. Venteo, H. Kaplan, M. Artemyev, V. Oleinikov, D. Klinov, M. Plout, J.H.M. Cohen, I. Nabiev (2004) Biocompatible fluorescent nanocrystals for immunolabeling of membrane proteins and cells. Anal. Biochem., 324, 60-67.

Svanberg K., I. Wang, R. Rydell, A. Elner, J. Wennerberg, L. Pais Clemente, E. Cardosa, R. Pratas, M. Pais Clemente, S. Andersson-Engels, S. Svanberg (1995) Fluorescence diagnosis of head and neck cancer utilizing oral administration of 5-aminolevulinic acid. Proc. SPIE, 2371, 129-141.

Svanberg K., E. Kjellen, J. Ankerst, S. Montan, E. Sjoholm, S. Svanberg (1986) Fluorescence studies of hematoporphyrin derivative in normal and malignant rat tissue. *Cancer Res.*, 46, 3803-3808.

Svastaand L.O., B.J. Tromberg, P. Wyss, M.T. Wyss-Desserich, Y. Tadir (1996) Light and drug distribution with topically administered photosensitizers. *Lasers Med. Sci.*, 11, 261-265.

Talapin D.V., A.L. Rogach, A. Kornowski, M. Haase, H. Weller (2001) Highly luminescent monodisperse CdSe and CdSe/ZnS nanocrystals synthesized in a hexadecylamine-trioctylphosphine oxide-trioctylphosphine mixture. *Nano Lett.*, 1, 207-211.

Tamosiunas M., J. Makaryceva, J. Labanauskiene, S. Bagdonas, C. Aleksandraviciene, J. Didziapetriene, L. Griciute, R. Rotomskis (2004) Autofluorescence of transplantable hepatoma A22 (MH-A22): prospects of tumour tissue optical biopsy. *Eksp. onkologija*, 26, 118-124.

Tarasov L.V.(1983) *Laser Physics*. Moscow: Mir Publishers.

Tassetti V., A. Hajri, M. Sowinska, S. Evrard, F. Heisel, L.Q. Cheng, J.A. Miehe, J. Marescaux, M. Aprahamian (1997) *In vivo* laser induced fluorescence imaging of a rat pancreatic cancer with pheophorbide-*a*. *Photochem. Photobiol.*, 65, 997-1006.

Truong T.B. (1980) Charge transfer to a solvent state. Luminescence studies of tryptophan in aqueous 4,5 M CaCl<sub>2</sub> solutions at 300 and 77 K. *J. Phys. Chem.*, 84, 960-964.

Van der Veen N., H. van Leengoed, W. Star (1994) *In vivo* fluorescence kinetics and photodynamic therapy using 5-aminolevulinic acid-induced porphyrin: increased damage after multiple irradiations. *Br. J. Cancer*, 70, 867-872.

Van Dam J., D.J. Bjorkman (1996) Shedding some light on high-grade dysplasia. *Gastroenterology*, 111, 247-249.

Van Leengoed H.L.L.M., N. Van der Veen, A.A.C. Versteeg, R. Ouellet, J.E. Van Lier, W.M. Star (1993) *In vivo* fluorescence kinetics of phthalocyanines in a skin-fold observation chamber model: role of central metal ion and degree of sulfonation. *Photochem. Photobiol.*, 58, 233-237.

Vekshin N.L. (1999) *Photonics of biopolymers*. Moscow State University Press, Moscow.

Vekshin N.L., M. Vincent, J. Gallay (1992) Excited state lifetime distributions of tryptophan fluorescence in polar solutions: evidence for solvent exiplex formation. *Chem. Phys. Lett.*, 199, 459-464.

Vo-Dinh T., M. Panjehpour, B.F. Overholt, C. Farris, F.P. Buckley, R. Sneed (1995) *In vivo* cancer diagnosis of the esophagus using differential normalized fluorescence (DNF) indexes. *Lasers Surg. Med.*, 16, 41-47.

Vo-Dinh T., M. Panjehpour, B.F. Overholt, F.P. Buckley (1997) Laser-induced differential fluorescence for cancer diagnosis without biopsy. *Appl. Spectrosc.*, 51, 58-63.

Voet D., J.G. Voet (1995) *Biochemistry*. New York: John Wiley & Sons, Inc., 754.

Vorobei A.V., Ye.A. Chernitskii, S.V. Konev, A.P. Krivitskii, S.V. Pinchuk, N.A. Schukanova (1992) Chloroform-dependent photoproducts of tryptophan. *Biophysics*, 37, 743-745.

Voura E.B., J.K. Jaiswal, H. Mattoussi, S.M. Simon (2004) Tracking metastatic tumor cell extravasation with quantum dot nanocrystals and fluorescence emission-scanning microscopy. *Nat. Med.*, 10, 993-998.

Wagnieres G., S. Cheng, M. Zellweger, N. Utke, D. Braichotte, J.-P. Ballini, H.E. van den Berg (1997) An optical phantom with tissue-like properties in the visible for use in PDT and fluorescence spectroscopy. *Phys. Med. Biol.*, 42, 1415-1426.

Wagnieres G.A., W.M. Star, B.C. Wilson (1998) *In vivo* fluorescence spectroscopy and imaging for oncological applications. *Photochem. Photobiol.*, 68, 603-632.

Wang D.S., J.B. He, N. Rosenzweig, Z. Rosenzweig (2004) Superparamagnetic Fe<sub>2</sub>O<sub>3</sub> beads – CdSe/ZnS quantum dots core-shell nanocomposite particles for cell separation. *Nano Lett.*, 4, 409-413.

Wang T., J. Van Dam, J.M. Crawford, E.A. Preisinger, Y. Wang, M.S. Feld (1996) Fluorescence endoscopic imaging of human colonic adenomas. *Gastroenterology*, 111, 1182-1191.

Warloe T., Q. Peng, H.B. Steen, K.E. Giercksky (1992) Localization of porphyrin in human basal cell carcinoma and normal skin tissue induced by topical application of 5-aminolevulinic acid. Photodynamic therapy and biomedical lasers. *Excerpta Medica*, 454-458.

Wehrenberg B.L., C.J. Wang, P. Guyot-Sionnest (2002) Interband and intraband optical studies of PbSe colloidal quantum dots. *J. Phys. Chem. B*, 106, 10634-10640.

Wilson B.C., M.S. Patterson, L. Lilge (1997) Implicit and explicit dosimetry in photodynamic therapy: a new paradigm. *Lasers Med. Sci.*, 12, 182-199.

Woodburn K.W., K. Fan, D.R. Miles, D. Kessel, Y. Luo, S.W. Young (1997) Localization and efficacy analysis of the phototherapeutic lutetium texaphyrin (PCI-0123) in the murine EMT6 sarcoma model. *Photochem. Photobiol.*, 65, 410-415.

Wu X.Y., H.J. Liu, J.Q. Liu, K.N. Haley, J.A. Treadway, J.P. Larson, N.F. Ge, F. Peale, M.P. Bruchez (2003) Immunofluorescent labeling of cancer marker Her2 and other cellular targets with semiconductor quantum dots. *Nat. Biotechnol.*, 21, 41-46.

Xiao Y., P.E. Barker (2004) Semiconductor nanocrystal probes for human metaphase chromosomes. *Nucleic Acids Res.*, 32, e28.

Yang Y., Y. Ye, F. Li, Y. Li, P. Ma (1987) Characteristic autofluorescence for cancer diagnosis and its origin. *Lasers Surg. Med.*, 7, 528-532.

Yang Y., C.C. Tang, M. Bessler, R.R. Alfano (1994) Optical spectroscopy methods to detect colon cancer. *Proc. SPIE*, 2135, 36-39.

Yu W.W., Y.A. Wang, X.G. Peng (2003) Formation and stability of size-, shape-, and structure controlled CdTe nanocrystals: ligand effects on monomers and nanocrystals. *Chem. Mater.*, 15, 4300-4308.

Zellweger M., P. Grosjean, D. Goujon, P. Monnier, H. Van Den Berg, G. Wagnieres (2001a) Autofluorescence spectroscopy to characterize the histopathological status of bronchial tissue *in vivo*. *J. Biomed. Opt.*, 6, 41-52.

Zellweger M., D. Goujon, M. Forrer, H. Van Den Berg, G. Wagnieres (2001 b) Absolute autofluorescence spectra of healthy bronchial tissue *in vivo*. *Appl. Opt.*, 40, 3784-3791.

Zonios G.I., R.M. Cothren, J.T. Arendt, J. Wu, J. Vandam, J.M. Crawford, R. Manoharan, M.S. Feld (1996) Morphological model of human colon tissue fluorescence. *IEEE Trans. Biomed. Eng.*, 43, 113-122.

Žurauskas E., S. Bagdonas, L. Bandzaitytė, G. Streckytė, R. Rotomskis (2004) Visualization of the conduction system of heart by fluorescence spectroscopy. *Lith.J.Phys.*, 44, 35-40.

Žurauskienė E., E. Žurauskas, G. Streckytė, S. Bagdonas, K. Žvaigždinas, R. Rotomskis (2001) Premises of visualization of the conduction system of heart: spectroscopic investigations. *Lith.J.Phys.*, 41, 505-508.